



Videoregistratore NVR 16 canali

Descrizione

Videoregistratore 16 canali NVR per la videosorveglianza IP

Videoregistratore digitale NVR 16 canali, con uscita VGA e HDMI, ottimo per telecamere megapixel, menu in italiano, visibile da cellulare.

Questo nvr funziona solo con le nostre telecamere IP megapixel o con dispositivi onvif.

{youtube}O_Czhu6_PHE{/youtube}

Caratteristiche

- Compressione: H.264
- Ingresso Telecamere IP: 16CH(1920x1080, 1280x960, 1280x720,etc)
- Uscita video: VGA e HDMI
- Risoluzione registrazione: 16CH*1080p/ 16CHx960P/16CHx720P,etc
- Risoluzione real: 16xD1 /1x1080P;
- Risoluzione Playback: 1x1080P
- Backup: USB2.0,Network,SATA , 1 SATAx 4TB
- Dimensioni: 354x245x45 (LxWxH)
- Peso: 2Kg

Scheda Tecnica

Model	ITS-NVR-1650H
Sistema	LINUX
Compressione	Standard H.264
Ingresso	16CH(1920×1080, 1280×960, 1280×720 etc.)
Uscita HDMI	1CH?HDMI interface; resolution:1920x1080P/60Hz
Uscita VGA	1CH?VGA interface; resolution:1920x1080P/60Hz
Risoluzione Preview	16xD1/1x1080P(single channel for the IPC main stream)
Risoluzione Video	16CH*1080p/ 16CHx960P/16CHx720P, etc.?according
Video Frame Rate	PAL: 25 frames / sec; NTSC: 30 frames / sec.
Video stream	Support for Variable Bit Rate?VBR? / Constant Bit Rate

Locale Playback	Single-channel playback 1x1080P
Backup	Support local, network backup
Hard disk	2 SATA hard drive (maximum 8TB)
Rete	1 RJ-45 port(10/100Mbps)
Supporto mobile	iPhone, iPad, Android, Windows Phone
Browser	IE8.0 o superiore
Versione Onvif	ONVIF2.0
USB	2 ingressi USB2.0
Multi operazioni	Support for recording, playback, network, backup, mobi
Dual-stream	Si
Operating Voltage	DC 12V

Operating Temperature	-10? — 55?
Humidity	10%?90%
Power Consumption	? 24 W
Weight	2KG

www.saisystem.it